

9-14-00

A

UTILITY PATENT APPLICATION TRANSMITTAL

(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
2204/A50Total Pages in this Submission
37**TO THE ASSISTANT COMMISSIONER FOR PATENTS**Box Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

SYSTEM, DEVICE, AND METHOD FOR RECEIVER ACCESS CONTROL IN AN INTERNET TELEVISION SYSTEM

and invented by:

Bradley Cain
Thomas P. HardjonoIf a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Enclosed are:

Application Elements

1. ☐ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 25 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☒ Cross References to Related Applications (if applicable)
 - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
 - d. ☐ Reference to Microfiche Appendix (if applicable)
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings (if drawings filed)
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL

(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
2204/A50

Total Pages in this Submission
37

Application Elements (Continued)

3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)
- a. ☐ Formal Number of Sheets _____
- b. ☒ Informal Number of Sheets 4
4. ☒ Oath or Declaration
- a. ☐ Newly executed (original or copy) ☒ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (usable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Computer Program in Microfiche (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all must be included)
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy (identical to computer copy)
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(B) Statement (when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement/PTO-1449 ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☒ Certificate of Mailing
- ☐ First Class ☒ Express Mail (Specify Label No.): EL543500020US

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
2204/A50

Total Pages in this Submission
37

Accompanying Application Parts (Continued)

15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)


16. ☐ Additional Enclosures (please identify below):

Fee Calculation and Transmittal

CLAIMS AS FILED

| For | #Filed | #Allowed | #Extra | Rate | Fee |
|--|--------|----------|--------|-----------|------------|
| Total Claims | 55 | - 20 = | 35 | x \$18.00 | \$630.00 |
| Indep. Claims | 6 | - 3 = | 3 | x \$78.00 | \$234.00 |
| Multiple Dependent Claims (check if applicable) <input type="checkbox"/> | | | | | \$0.00 |
| BASIC FEE | | | | | \$690.00 |
| OTHER FEE (specify purpose) | | | | | \$0.00 |
| TOTAL FILING FEE | | | | | \$1,554.00 |

- ☐ A check in the amount of _____ to cover the filing fee is enclosed.
- ☐ The Commissioner is hereby authorized to charge and credit Deposit Account No. _____ as described below. A duplicate copy of this sheet is enclosed.
- ☐ Charge the amount of _____ as filing fee.
 - ☐ Credit any overpayment.
 - ☐ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
 - ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).


Signature

Jeffrey T. Klayman, Reg. No. 39,250
BROMBERG & SUNSTEIN LLP
125 Summer Street
Boston, MA 02110
(617) 443-9292

Dated: September 13, 2000

cc:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION FOR UNITED STATES PATENT

FOR

**SYSTEM, DEVICE, AND METHOD FOR RECEIVER ACCESS CONTROL
IN AN INTERNET TELEVISION SYSTEM**

Inventors:

Bradley Cain
295 Harvard Street #611
Cambridge, MA 02139

Thomas P. Hardjono
430 Highland Avenue
Winchester, MA 01890

Attorney Docket No.: 2204/A50

Client Reference No.: 12278BA

Attorneys:

BROMBERG & SUNSTEIN LLP
125 Summer Street
Boston, MA 02110
(617) 443-9292

-1-

SYSTEM, DEVICE, AND METHOD FOR RECEIVER ACCESS CONTROL IN AN INTERNET TELEVISION SYSTEM

5

CROSS-REFERENCE TO RELATED APPLICATION

10

The present patent application may be related to the following commonly owned United States patent applications, which are hereby incorporated herein by reference in their entireties:

United States Patent Application No. 09/607,007 entitled SYSTEM, DEVICE, AND METHOD FOR CONTROLLING ACCESS IN AN MULTICAST COMMUNICATION NETWORK, filed on June 29, 2000 in the names of Thomas P. Hardjono and Bradley Cain (Attorney Docket No. 2204/A46);

15

United States Patent Application No. XX/XXX,XXX entitled SYSTEM, DEVICE, AND METHOD FOR RECEIVER ACCESS CONTROL IN A MULTICAST COMMUNICATION SYSTEM, filed on even date herewith in the names of Bradley Cain and Thomas P. Hardjono (Attorney Docket No. 2204/A48); and

20

United States Patent Application No. XX/XXX,XXX entitled SYSTEM, DEVICE, AND METHOD FOR DISTRIBUTING ACCESS CONTROL INFORMATION IN A COMMUNICATION SYSTEM, filed on even date herewith in the names of Bradley Cain and Thomas P. Hardjono (Attorney Docket No. 2204/A49).

25

FIELD OF THE INVENTION

The present invention relates generally to communication systems, and more particularly to access control in an internet television system.

30

BACKGROUND OF THE INVENTION

In today's information age, communication networks are often used for transporting information from an information provider to one or more information consumers.

One technique for transporting information from an information provider to a group of information consumers over the communication network is known as "multicasting." Multicasting allows the information provider (referred to hereinafter as a "multicast source") to transmit a single unit of multicast information (referred to hereinafter as a "multicast packet") simultaneously to all information consumers (referred to hereinafter individually as a "multicast client" and collectively as "multicast clients") in the multicast group, specifically by addressing the multicast packet to the multicast group using a multicast address. The multicast clients monitor the communication network for multicast packets addressed to the multicast group.

In order to distribute multicast packets from a particular multicast source S to the multicast clients for a particular multicast group G, the multicast packet is routed through the communication network by a number of routers. The communication network may include multiple routing domains, and therefore the multicast packet may traverse multiple routing domains. Each router runs various routing protocols to determine, among other things, a "next hop" for each packet based upon address information in the packets. Such routing information is used to establish a multicast distribution tree (referred to hereinafter as the "shared tree"), and is maintained by each router in one or more routing tables (often referred to as a "routing information base").

One multicast application is internet television. For internet television, television channels are sent to various subscribers over an IP network using IP multicast groups. Specifically, each television channel is carried over a different multicast group, and the subscribers join the multicast groups in order to receive the television channels.

For certain types of internet television services, it is necessary to limit access to certain television channels such that only a predetermined set of authorized users can access a particular television channel. Such limited access may be used, for example, for premium (pay) channels, subscription channels, "pay per view" channels, special event channels, local blackout, or parental lockout. Unfortunately, many multicast communication networks are based upon an anonymous receiver model in which any host can join any multicast group, for example, using multicast group management protocol such as the Internet Group Management Protocol (IGMP). IGMP is described in Fenner,

Internet Engineering Task Force (IETF) Request for Comments (RFC) 2236 entitled Internet Group Management Protocol, Version 2 (November 1997) and in Cain et al., Internet Engineering Task Force (IETF) Internet Draft draft-ietf-idmr-igmp-v3-04.txt entitled Internet Group Management Protocol, Version 3 (June 2000), which are hereby
5 incorporated herein by reference in their entireties.

Furthermore, in order for the internet television service to parallel regular broadcast and cable television services, it is important for subscribers to be able to change channels quickly. Changing channels may involve leaving one multicast group and quickly joining another multicast group.

Unfortunately, typical multicast mechanisms provide neither the ability to limit access to multicast groups nor the ability to quickly switch between multicast groups that is required for internet television. Thus, an access control mechanism that provides for quick channel changes is needed.

SUMMARY OF THE INVENTION

In accordance with one aspect of the invention, a push mechanism is used to distribute access control information from a distribution device to an access device. The access device uses the access control information to make receiver access control decisions for a subsequently received request from a host to join a television channel multicast group.
15

One push mechanism uses a reliable multicast mechanism to distribute the access control information from the distribution device to the access device.

Another push mechanism uses a policy service to distribute the access control information in the form of policy information from the distribution device to the access device.

Yet another push mechanism uses a management mechanism to distribute the access control information in the form of management information from the distribution device to the access device.
30

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects and advantages of the invention will be appreciated more fully from the following further description thereof with reference to the accompanying drawings wherein:

FIG. 1 is a block diagram showing an exemplary communication system in accordance with an embodiment of the present invention;

FIG. 2 is a logic flow diagram showing exemplary distribution device logic for distributing access control information to an access device using a push mechanism in accordance with an embodiment of the present invention;

FIG. 3 is a logic flow diagram showing exemplary access device logic for providing receiver access control using access control information received from a distribution device using a push mechanism in accordance with an embodiment of the present invention; and

FIG. 4 is a block diagram showing the relevant logic blocks of an exemplary access device in accordance with an embodiment of the present invention.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

In a typical internet television system, each host accesses the internet television system through an access device. Before a host is permitted to join a television channel multicast group (i.e., the multicast group associated with the television channel), the host is authenticated to determine whether or not the host is authorized to access the television channel. This authentication can be done at a central location, at the access devices, or at various intermediate devices. If the host is authorized to access the television channel, then the host is joined to the television channel multicast group so that the host can receive the television channel.

In an embodiment of the present invention, the authentication is performed by the access control devices based upon access control information obtained from a main server. The access control information is used by an access device to determine whether a

particular host is authorized to receive a particular television channel. When an access device receives a request from a host to join a particular television channel multicast group (i.e., the multicast group associated with the television channel), the access device decides whether to accept or reject the host based upon the access control information. If the access device decides to accept the host, then the access device joins the host to the television channel multicast group so that the host can receive the television channel.

In a typical prior art embodiment in which the authentication is performed at the access devices, the access device typically requests or retrieves the access control information from the main server upon receiving the request from the host to join the television channel multicast group, and then uses the access control information to authenticate the host. Because the access device does not obtain the access control information until after the request is received from the host, there may be substantial delay in authenticating the host. This in turn can cause significant delays in changing channels.

Therefore, in an embodiment of the present invention, the access control information is distributed from the main server to the access devices in such a way that the access devices receive the access control information before it is needed and without requesting or otherwise retrieving the access control information from the main server. The access devices maintain the access control information in a database for subsequent use in authenticating hosts. Because the access device obtains the access control information before the request is received from the host, there is essentially no delay in authenticating the host. This in turn reduces delays in changing channels.

Thus, by distributing the access control information in advance and performing receiver access control at the access points of the internet television system, an embodiment of the present invention provides the access control and quick channel changing capabilities that are desirable for an internet television service.

FIG. 1 shows an exemplary communication system 100. The communication system 100 includes a distribution server 110 in communication with an access device 130 such as a router or switch over a network 120. A host device 140 accesses the network 120 via the access device 130.

The access device 130 and the host 140 typically implement a multicast group management protocol, such as the IGMP as described in Fenner, Internet Engineering Task Force (IETF) Request for Comments (RFC) 2236 entitled Internet Group Management Protocol, Version 2 (November 1997) and in Cain et al., Internet Engineering Task Force (IETF) Internet Draft draft-ietf-idmr-igmp-v3-04.txt entitled Internet Group Management Protocol, Version 3 (June 2000), which are hereby incorporated herein by reference in their entireties. Among other things, the host 140 uses the multicast group management protocol to request membership in a particular television channel multicast group. With respect to the multicast group management protocol, the access device 130 may be referred to as the Multicast Access Point (MAP) for the host 140.

The access device 130 typically implements a multicast routing protocol, such as the Protocol Independent Multicast (PIM) multicast routing protocol, in order to join the host 140 to a television channel multicast group that it is authorized to receive. PIM is a well-known protocol for routing multicast packets within a multicast routing domain. PIM is so named because it is not dependent upon any particular unicast routing protocol for setting up a multicast distribution tree within the multicast routing domain. PIM has two modes of operation, specifically a sparse mode and a dense mode. PIM Sparse Mode (PIM-SM) is described in Estrin et al., Internet Engineering Task Force (IETF) Request for Comments (RFC) 2362, Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (June 1998), which is hereby incorporated herein by reference in its entirety. PIM Dense Mode (PIM-DM) is described in Deering et al., Internet Engineering Task Force (IETF) Internet Draft draft-ietf-pim-v2-dm-03.txt, Protocol Independent Multicast Version 2 Dense Mode Specification (June 7, 1999), which is hereby incorporated herein by reference in its entirety. Thus, the access device 130 may be a PIM Designated Router (DR) for the host device 140.

The distribution server 110 maintains the access control information in a database. The distribution server 110 may obtain the access control information in various ways. For example, the access control information may be configured at the distribution server 110 through a management interface, or the distribution server 110 may obtain the access control information from a main server (not shown) using a reliable multicast mechanism,

-7-

as described in the related application 2204/A49. The present invention is in no way limited by the manner in which the distribution server 110 obtains the access control information.

In order to efficiently distribute the access control information to the access devices, the access control information is typically distributed to the access devices using a “push” mechanism by which current access control information is sent to the access devices without the access devices having to request or retrieve the access control information. The access control information may be sent by the main server at various times. For example, the access control information may be sent by the distribution server 110 periodically and/or as changes occur. The access control information typically includes a sequence number or other identifier for identifying a specific version of access control information, and is used for differentiating between different versions of access control information.

Thus, the distribution server 110 and the access device 130 implement a “push” mechanism by which the access control information is distributed from the distribution server 110 to the access device 130. Among other things, the “push” mechanism may employ unicast, multicast, or broadcast techniques. The present invention is in no way limited to any particular “push” mechanism or mechanisms.

One exemplary “push” mechanism uses reliable multicast (RM) to distribute the access control information to the access devices. Specifically, the distribution server 110 and all access devices support the reliable multicast mechanism. All access devices, including the access device 130, join a dedicated multicast group. The distribution server 110 obtains access control information, for example, through a management interface, and sends the access control information to the access devices using a multicast group address associated with the multicast group according to the reliable multicast mechanism. Each access device, including the access device 130, recovers the access control information using the reliable multicast mechanism and stores the access control information in a database for later use in making receiver access control decisions.

Another exemplary “push” mechanism uses a policy service, such as the Common Open Policy Service (COPS), to distribute the access control information in the form of

policy information to the access devices. COPS is described in the Internet Engineering Task Force (IETF) Request for Comments (RFC) 2748 entitled The COPS (Common Open Policy Service) Protocol (January 2000), which is hereby incorporated herein by reference in its entirety. In order to distribute the access control information using the policy service, a policy service connection is typically established from the distribution server 110 to the access device 130 over the network 120, and the access control information is sent in the form of policy information from the distribution server 110 to the access device 130 over the policy service connection.

With respect to the policy service, the device at which policy decisions are made is commonly referred to as the Policy Decision Point (PDP), and the device at which the policy decisions are enforced is commonly referred to as the Policy Enforcement Point (PEP).

In a typical policy service application, as described in the related application 2204/A48, the distribution server 110 makes the policy decisions and the access device 130 enforces the policy decisions. Therefore, the distribution server 110 is typically the PDP while the access device 130 is typically the PEP.

In an embodiment of the present invention, however, the access device 130 makes and enforces the policy decisions. Specifically, the access device 130 obtains the access control information from the distribution server 110, maintains the access control information in a database, uses the access control information to determine whether the host 140 is authorized to join the television channel multicast group, and either admits the host 140 to the television channel multicast group, if the host 140 is authorized to join the television channel multicast group, or rejects the host 140, if the host 140 is not authorized to join the television channel multicast group. Therefore, the access device 130 is both the PDP and the PEP.

Yet another exemplary "push" mechanism uses a management mechanism, such as the Simple Network Management Protocol (SNMP) or Command Line Interface (CLI), to distribute the access control information in the form of management information to the access devices. The management mechanism provides a management path between the

distribution device 110 and the access device 130 over which the distribution device 110 forwards access control information to the access device 130.

FIG. 2 shows exemplary distribution device logic 200 for distributing access control information to the access devices using a push mechanism. Beginning in block 202, the logic maintains access control information, in block 204, and distributes the access control information to the access device using a predetermined push mechanism, in block 206. The logic may distribute access control information at various times, for example, periodically and/or when changes occur. The logic 200 terminates in block 299.

FIG. 3 shows exemplary access device logic 300 for providing receiver access control using access control information received from the distribution device using a push mechanism. Beginning in block 302, the logic receives the access control information from the distribution device using a predetermined push mechanism, in block 304, and typically stores the access control information in a database. The logic subsequently receives a request from the host to join a television channel multicast group, in block 306. Upon receiving the request from the host to join the television channel multicast group, in block 306, the logic determines whether the host is authorized to join the television channel multicast group based upon the access control information received from the distribution device, in block 308. If the host is authorized to join the television channel multicast group (YES in block 310), then the logic admits the host to the television channel multicast group, in block 312. If the host is not authorized to join the television channel multicast group (NO in block 310), then the logic rejects the host. The logic 300 terminates in block 399.

FIG. 4 shows the relevant logic blocks of an exemplary access device 130. Among other things, the access device 130 includes distribution logic 402, database 404, access control logic 406, and host interface logic 408. The distribution logic 402 uses a predetermined push mechanism to obtain access control information from the distribution device 110, and stores the access control information in the database 404. The host interface logic 408 implements a multicast group management protocol, such as IGMP, for receiving a request from the host device 140 to join a television channel multicast group. When the host interface logic 408 receives a request from the host device 140 to join a

television channel multicast group, the access control logic 406 retrieves access control information from the database 404 and uses the access control information to determine whether the host device 140 is authorized to join the television channel multicast group. If the host device 140 is authorized to join the television channel multicast group, then the access control logic 406 admits the host device 140 to the television channel multicast group. Admitting the host device 140 to the television channel multicast group may involve joining the television channel multicast group by the access control logic 406 and adding the host device 140 to an outgoing list in a forwarding table for forwarding television channel multicast data to the host device 140. If the host device 140 is not authorized to join the television channel multicast group, then the access control logic 406 rejects the host device 140.

It should be noted that the present invention is in no way limited to any particular push mechanism. The present invention can be embodied using any mechanism by which access control information is pushed to the access devices for making receiver access control decisions for a subsequently received request from a host to join a television channel multicast group.

It should be noted that terms such as "router" and "server" are used herein to describe various communication devices that may be used in a communication system, and should not be construed to limit the present invention to any particular communication device type. Thus, a communication device may include, without limitation, a bridge, router, bridge-router (brouter), switch, node, server, or other communication device.

It should also be noted that the logic flow diagrams are used herein to demonstrate various aspects of the invention, and should not be construed to limit the present invention to any particular logic flow or logic implementation. The described logic may be partitioned into different logic blocks (e.g., programs, modules, functions, or subroutines) without changing the overall results or otherwise departing from the true scope of the invention. Often times, logic elements may be added, modified, omitted, performed in a different order, or implemented using different logic constructs (e.g., logic gates, looping primitives, conditional logic, and other logic constructs) without changing the overall results or otherwise departing from the true scope of the invention.

The present invention may be embodied in many different forms, including, but in no way limited to, computer program logic for use with a processor (*e.g.*, a microprocessor, microcontroller, digital signal processor, or general purpose computer), programmable logic for use with a programmable logic device (*e.g.*, a Field Programmable Gate Array (FPGA) or other PLD), discrete components, integrated circuitry (*e.g.*, an Application Specific Integrated Circuit (ASIC)), or any other means including any combination thereof. In a typical embodiment of the present invention, predominantly all of the distribution device logic and access device logic is implemented as a set of computer program instructions that is converted into a computer executable form, stored as such in a computer readable medium, and executed by a microprocessor within the distribution device 110 and the access device 130, respectively, under the control of an operating system.

Computer program logic implementing all or part of the functionality previously described herein may be embodied in various forms, including, but in no way limited to, a source code form, a computer executable form, and various intermediate forms (*e.g.*, forms generated by an assembler, compiler, linker, or locator). Source code may include a series of computer program instructions implemented in any of various programming languages (*e.g.*, an object code, an assembly language, or a high-level language such as Fortran, C, C++, JAVA, or HTML) for use with various operating systems or operating environments. The source code may define and use various data structures and communication messages. The source code may be in a computer executable form (*e.g.*, via an interpreter), or the source code may be converted (*e.g.*, via a translator, assembler, or compiler) into a computer executable form.

The computer program may be fixed in any form (*e.g.*, source code form, computer executable form, or an intermediate form) either permanently or transitorily in a tangible storage medium, such as a semiconductor memory device (*e.g.*, a RAM, ROM, PROM, EEPROM, or Flash-Programmable RAM), a magnetic memory device (*e.g.*, a diskette or fixed disk), an optical memory device (*e.g.*, a CD-ROM), or other memory device. The computer program may be fixed in any form in a signal that is transmittable to a computer using any of various communication technologies, including, but in no way limited to,

analog technologies, digital technologies, optical technologies, wireless technologies, networking technologies, and internetworking technologies. The computer program may be distributed in any form as a removable storage medium with accompanying printed or electronic documentation (*e.g.*, shrink wrapped software), preloaded with a computer system (*e.g.*, on system ROM or fixed disk), or distributed from a server or electronic bulletin board over the communication system (*e.g.*, the Internet or World Wide Web).

Hardware logic (including programmable logic for use with a programmable logic device) implementing all or part of the functionality previously described herein may be designed using traditional manual methods, or may be designed, captured, simulated, or documented electronically using various tools, such as Computer Aided Design (CAD), a hardware description language (*e.g.*, VHDL or AHDL), or a PLD programming language (*e.g.*, PALASM, ABEL, or CUPL).

Programmable logic may be fixed either permanently or transitorily in a tangible storage medium, such as a semiconductor memory device (*e.g.*, a RAM, ROM, PROM, EEPROM, or Flash-Programmable RAM), a magnetic memory device (*e.g.*, a diskette or fixed disk), an optical memory device (*e.g.*, a CD-ROM), or other memory device. The programmable logic may be fixed in a signal that is transmittable to a computer using any of various communication technologies, including, but in no way limited to, analog technologies, digital technologies, optical technologies, wireless technologies, networking technologies, and internetworking technologies. The programmable logic may be distributed as a removable storage medium with accompanying printed or electronic documentation (*e.g.*, shrink wrapped software), preloaded with a computer system (*e.g.*, on system ROM or fixed disk), or distributed from a server or electronic bulletin board over the communication system (*e.g.*, the Internet or World Wide Web).

The present invention may be embodied in other specific forms without departing from the true scope of the invention. The described embodiments are to be considered in all respects only as illustrative and not restrictive.

We claim:

1. An access control method for an internet television system, the access control method comprising:

5 distributing access control information from a distribution device to an access device for use by the access device in authenticating a subsequent request by a host device to join a television channel multicast group;

receiving, by the access device, the subsequent request by the host device to join the television channel multicast group;

10 determining, by the access device, whether the host device is authorized to join the television channel multicast group based upon the access control information distributed from the distribution device; and

15 admitting, by the access device, the host device to the television channel multicast group if and only if the host device is determined to be authorized to join the television channel multicast group.

2. The access control method of claim 1, wherein distributing the access control information from the distribution device to the access device comprises:

20 pushing the access control information from the distribution device to the access control device using a predetermined push mechanism.

3. The access control method of claim 2, wherein the predetermined push mechanism comprises a reliable multicast mechanism.

25 4. The access control method of claim 3, wherein pushing the access control information from the distribution device to the access control device using the predetermined push mechanism comprises:

joining a predetermined multicast group by the access device;

30 sending the access control information to the predetermined multicast group by the distribution device using the reliable multicast mechanism;

-14-

receiving the access control information by the access device from the multicast group using the reliable multicast mechanism.

5 5. The access control method of claim 2, wherein the predetermined push mechanism comprises a policy service.

6. The access control method of claim 5, wherein the policy service comprises a Common Open Policy Service (COPS).

10 7. The access control method of claim 5, wherein pushing the access control information from the distribution device to the access control device using a predetermined push mechanism comprises:

 sending the access control information from the distribution device to the access device in the form of policy information using the policy service.

15 8. The access control method of claim 2, wherein the predetermined push mechanism comprises a management mechanism.

20 9. The access control method of claim 8, wherein the management mechanism comprises a Simple Network Management Protocol (SNMP).

10. The access control method of claim 8, wherein the management mechanism comprises a Command Line Interface (CLI).

25 11. The access control method of claim 8, wherein pushing the access control information from the distribution device to the access control device using a predetermined push mechanism comprises:

 sending the access control information from the distribution device to the access device in the form of management information using the management mechanism.

30

-15-

12. The access control method of claim 1, wherein determining whether the host device is authorized to join the television channel multicast group comprises:
authenticating the host device based upon the access control information.

5 13. The access control method of claim 1, wherein admitting the host device to the television channel multicast group comprises:
joining the television channel multicast group by the access device using a predetermined multicast routing protocol.

10 14. The access control method of claim 13, wherein the predetermined multicast routing protocol comprises a Protocol Independent Multicast (PIM) multicast routing protocol.

-16-

15. An apparatus for distributing access control information in an internet television system, the apparatus comprising:
maintenance logic operably coupled to maintain access control information; and
distribution logic operably coupled to distribute the access control information to at
least one access device using a predetermined push mechanism.

16. The apparatus of claim 15, wherein the predetermined push mechanism comprises a reliable multicast mechanism.

17. The apparatus of claim 16, wherein the distribution logic is operably coupled to send the access control information to a predetermined multicast group using the reliable multicast mechanism.

18. The apparatus of claim 15, wherein the predetermined push mechanism comprises a policy service.

19. The apparatus of claim 18, wherein the policy service comprises a Common Open Policy Service (COPS).

20. The apparatus of claim 18, wherein the distribution logic is operably coupled to send the access control information to the access device in the form of policy information using the policy service.

21. The apparatus of claim 15, wherein the predetermined push mechanism comprises a management mechanism.

22. The apparatus of claim 21, wherein the management mechanism comprises a Simple Network Management Protocol (SNMP).

23. The apparatus of claim 21, wherein the management mechanism comprises a Command Line Interface (CLI).

24. The apparatus of claim 21, wherein the distribution logic is operably coupled to
5 send the access control information from the distribution device to the access device in the
form of management information using the management mechanism.

-18-

25. A computer program for controlling a computer system, the computer program comprising:

maintenance logic programmed to maintain access control information; and

distribution logic programmed to distribute the access control information to at

least one access device using a predetermined push mechanism.

26. The computer program of claim 25, wherein the predetermined push mechanism comprises a reliable multicast mechanism.

27. The computer program of claim 26, wherein the distribution logic is programmed to send the access control information to a predetermined multicast group using the reliable multicast mechanism.

28. The computer program of claim 25, wherein the predetermined push mechanism comprises a policy service.

29. The computer program of claim 28, wherein the policy service comprises a Common Open Policy Service (COPS).

30. The computer program of claim 28, wherein the distribution logic is programmed to send the access control information to the access device in the form of policy information using the policy service.

31. The computer program of claim 25, wherein the predetermined push mechanism comprises a management mechanism.

32. The computer program of claim 31, wherein the management mechanism comprises a Simple Network Management Protocol (SNMP).

-19-

33. The computer program of claim 31, wherein the management mechanism comprises a Command Line Interface (CLI).

- 5 34. The computer program of claim 31, wherein the distribution logic is programmed to send the access control information from the distribution device to the access device in the form of management information using the management mechanism.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

-20-

35. An apparatus for providing receiver access control in an internet television system, the apparatus comprising:

distribution logic operably coupled to receive access control information from a distribution device using a predetermined push mechanism;

5 host interface logic operably coupled to receive a request from a host device to join a television channel multicast group; and

access control logic operably coupled to determine whether the host device is authorized to join the television channel multicast group based upon the access control information.

10 36. The apparatus of claim 35, wherein the predetermined push mechanism comprises a reliable multicast mechanism.

15 37. The apparatus of claim 36, wherein the distribution logic is operably coupled to join a predetermined multicast group and receive the access control information from the predetermined multicast group using the reliable multicast mechanism.

38. The apparatus of claim 35, wherein the predetermined push mechanism comprises a policy service.

20 39. The apparatus of claim 38, wherein the policy service comprises a Common Open Policy Service (COPS).

40. The apparatus of claim 38, wherein the distribution logic is operably coupled to receive the access control information from the distribution device in the form of policy information using the policy service.

41. The apparatus of claim 35, wherein the predetermined push mechanism comprises a management mechanism.

30

-21-

42. The apparatus of claim 41, wherein the management mechanism comprises a Simple Network Management Protocol (SNMP).

43. The apparatus of claim 41, wherein the management mechanism comprises a Command Line Interface (CLI).

44. The apparatus of claim 41, wherein the distribution logic is operably coupled to receive the access control information from the distribution device in the form of management information using the management mechanism.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

-22-

45. A computer program for controlling a computer system, the computer program comprising:

distribution logic programmed to receive access control information from a distribution device using a predetermined push mechanism;

5 host interface logic programmed to receive a request from a host device to join a television channel multicast group; and

access control logic programmed to determine whether the host device is authorized to join the television channel multicast group based upon the access control information.

10

46. The computer program of claim 45, wherein the predetermined push mechanism comprises a reliable multicast mechanism.

15

47. The computer program of claim 46, wherein the distribution logic is programmed to join a predetermined multicast group and receive the access control information from the predetermined multicast group using the reliable multicast mechanism.

48. The computer program of claim 45, wherein the predetermined push mechanism comprises a policy service.

20

49. The computer program of claim 48, wherein the policy service comprises a Common Open Policy Service (COPS).

25

50. The computer program of claim 48, wherein the distribution logic is programmed to receive the access control information from the distribution device in the form of policy information using the policy service.

51. The computer program of claim 45, wherein the predetermined push mechanism comprises a management mechanism.

30

-23-

52. The computer program of claim 51, wherein the management mechanism comprises a Simple Network Management Protocol (SNMP).

5 53. The computer program of claim 51, wherein the management mechanism comprises a Command Line Interface (CLI).

54. The computer program of claim 51, wherein the distribution logic is programmed to receive the access control information from the distribution device in the form of management information using the management mechanism.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

-24-

55. An internet television system comprising a distribution device in communication with at least one access device over a communication network, wherein the distribution device uses a predetermined push mechanism to distribute access control information to the at least one access device, and wherein the at least one access device uses the access control information to control access to at least one television channel multicast group.

5

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205

ABSTRACT OF THE DISCLOSURE

5 A system, device, and method for receiver access control in an internet television system uses a push mechanism to distribute access control information from a distribution device to an access device. The access device uses the access control information to make receiver access control decisions for a subsequently received request from a host to join a television channel multicast group.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25




FIG. 1

100




FIG. 2 200




FIG. 3 300




FIG. 4

Docket No.
2204/A50

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

SYSTEM, DEVICE, AND METHOD FOR RECEIVER ACCESS CONTROL IN AN INTERNET TELEVISION SYSTEM

the specification of which

(check one)

☒ Is attached hereto.

☐ was filed on _____ as United States Application No. or PCT International Application Number _____ and was amended on _____

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*

| | | | |
|------------------------------|------------------------|---------------------------------|------------------------|
| Bruce D. Sunstein | Reg. No. 27,234 | Jay Sandvos | Reg. No. 43,900 |
| Robert M. Asher | Reg. No. 30,445 | Sonia K. Guterman | Reg. No. 44,729 |
| Timothy M. Murphy | Reg. No. 33,198 | Keith J. Wood | Reg. No. 45,235 |
| Steven G. Saunders | Reg. No. 36,265 | Mary M. Steubing | Reg. No. 37,946 |
| Harriet M. Strimpel | Reg. No. 37,008 | Christopher J. Cianciolo | Reg. No. 42,417 |
| Samuel J. Petuchowski | Reg. No. 37,910 | Lindsay J. McGuinness | Reg. No. 38,549 |
| Jeffrey T. Klayman | Reg. No. 39,250 | | |
| John J. Stickevers | Reg. No. 39,387 | | |
| Herbert A. Newborn | Reg. No. 42,031 | | |
| Elizabeth P. Morano | Reg. No. 42,904 | | |
| Jean M. Tibbetts | Reg. No. 43,193 | | |

Send Correspondence to: **Jeffrey T. Klayman**
Bromberg & Sunstein LLP
125 Summer Street
Boston, MA 02110

Direct Telephone Calls to: *(name and telephone number)*
Jeffrey T. Klayman at (617) 443-9292

| | |
|--|------|
| Full name of sole or first inventor Bradley Cain | |
| Sole or first inventor's signature | Date |
| Residence 295 Harvard Street #611, Cambridge, MA 02139 | |
| Citizenship U.S.A. | |
| Post Office Address Same as residence | |
| | |

| | |
|---|------|
| Full name of second inventor, if any Thomas P. Hardjono | |
| Second inventor's signature | Date |
| Residence 430 Highland Avenue, Winchester, MA 01890 | |
| Citizenship Australia | |
| Post Office Address Same as residence | |
| | |